





Hand-selected by a team of interior design experts, MiPlank combines the latest trends and designs to create a premium look and feel for your interior.

The collection features 15 authentic timber designs, each containing unique knot and grain details to replicate the natural beauty of the different wood species.

For those requiring a high-performing acoustic product, without wanting to compromise on design, 8 shades from the MiPlank collection are also available with a specially-formulated acoustic backing, reducing impact sound by up to 19dB.

Look out for the acoustic symbol throughout the brochure or refer to the collection overview for details of these shades.

2




# Reduces Impact Sound by 19dB

Looking for flooring for a multi-residential or commercial space?

The MiPlank Acoustic collection is the perfect option for when impact sound reduction is an important factor.

The specially-formulated MiPlank Acoustic luxury vinyl flooring combines the high-quality and design of traditional MiPlank, with an acoustic backing that reduces impact sound by up to 19dB. Available in 8 of the MiPlank shades, achieve the same look with improved acoustic benefits, perfect for when you need peace and quiet.

Look for the MiPlank Acoustic symbol on selected shades and reference the purple shade code when placing your order.



## SILKWOOD 2424



plank size: **185 x 1505mm** 

Perfectly suited to coastal and Scandinavian interiors, Silkwood is light and refined. The longer planks, minimalist grain and simple knot detailing create a seamless and spacious look.





# SUN BLEACHED ASH 2421





\*Code refers to acoustic version of this shade, ideal for multi-residential & commercial spaces

#### plank size: **185 x 1505mm**

The long planks of Sun Bleached
Ash feature silvered, grey tones,
inspired by planks bleached by
the sun and saltwater of the
Australian coast.



# SILVER BIRCH 2418





\*Code refers to acoustic version of this shade, ideal for multi-residential & commercial spaces

### plank size: 185 x 1505mm

The silvery, white trunk of Silver
Birch creates a timber species
which features an airy metallic
grey. This design is the perfect
choice for light, contemporary
residential and commercial spaces.

# **WASHED PINE** 2410



plank size: 177.8 x 1219.2mm

On-trend Washed Pine
replicates a classic timber with
a contemporary finish. Suited to
coastal style interiors, Washed
Pine is the perfect way to
introduce texture to any space.





# SASSAFRAS

2413





\*Code refers to acoustic version of this shade, ideal for multi-residential & commercial spaces

### plank size: **185 x 1505mm**

Sassafras features wonderful,
variable and dynamic colouring.
The combination of golden tones
with striking, deep rich brown,
grain and knot detailing creates a
statement floor.

# SMOKED OAK

2423



plank size: **185 x 1505mm** 

A classic combination of warm timber and smoky ash tones.

Smoked Oak takes inspiration from the process of smoking natural wood, to create contrast and a scorched richness.







plank size: **185 x 1505mm** 

Wattle is a striking light brown shade, with warm undertones and defined growth rings. Inspired by natural timber, these planks feature unique knot and grain detailing to ensure an authentic Australian look.





## DARK OAK 2414



\*Code refers to acoustic version of this shade, ideal for multi-residential & commercial spaces

9414\*

plank size: 177.8 x 1219.2mm

This unique, Dark Oak plank design features deep chocolate brown tones, perfect for creating a bold and sophisticated style.

# **RED HEART GUM** 2419



plank size: **185 x 1505mm** 

A modern alternative to Jarrah,
Red Heart Gum incorporates the
rich red tones of the Australian
species, balanced with a smooth
grain and cool grey undertones.
Red Heart Gum is perfect for
adding warmth and a sense of
traditional style to any home.





# TASMANIAN MYRTLE 2415



\*Code refers to acoustic version of this shade, ideal for multi-residential & commercial spaces

#### plank size: 177.8 x 1219.2mm

Created to purposefully mimic the evergreen native species, unique to Victoria and Tasmania; Tasmanian Myrtle features reddish undertones with a distinctive black grain.

# SPOTTED GUM 2416



plank size: **185 x 1505mm** 

Inspired by the iconic Australian species of timber; Spotted Gum, these planks are uniquely Australian.

Featuring light tones with a distinctive, refined texture, Spotted Gum is a timeless and classic timber, perfect for any home.





## GREY GUM 2420





\*Code refers to acoustic version of this shade, ideal for multi-residential & commercial spaces

### plank size: 177.8 x 1219.2mm

Designed to replicate an
Australian native species, Grey
Gum combines a smooth, refined
grain with contemporary grey
undertones to create a truly
unique Australian feel.

# ${\sf CARBON\ TEAK}$

2422



plank size: 177.8 x 1219.2mm

Carbonizing wood involves
applying heat to the point that
the timber almost burns, creating
depth and contrast between
planks. Inspired by this process,
Carbon Teak features deep,
contrasting tones, resulting in a
unique and varied design.





## PAPERBARK 2411





\*Code refers to acoustic version of this shade, ideal for multi-residential & commercial spaces

### plank size: 185 x 1505mm

Paperbark features a unique combination of a smooth texture and light timber tones which range from warm, sun-drenched yellows to moody greys, creating a sense of refined luxury.



# BLACKWOOD 2417





\*Code refers to acoustic version of this shade, ideal for multi-residential & commercial spaces

## plank size: 177.8 x 1219.2mm

Inspired by the Australian hardwood that yields an attractive timber finish;
Blackwood features a lustrous golden brown grain. Contrasting bands of rich, darker tones create a sophisticated, homely look.

The MiPlank collection has been beautifully engineered to create authentic replications of natural timber planks. The designs deliberately contain knot and grain details, giving each plank a unique appeal. Although we endeavour to ensure that the colours depicted within this brochure truly represent each product, we recommend you view an actual sample of a full-size plank prior to selection.

\*Code refers to acoustic version of this shade

R10 All designs achieve R10, which is an ex-factory measure of slip resistance

plank size: 177.8 x 1219.2mm



GREY GUM 2420 9420\*



WASHED PINE 2410



BLACKWOOD 2417 9417\*



9415\*

**TASMANIAN MYRTLE** 2415



CARBON TEAK 2422



DARK OAK 2414 9414\*



SILKWOOD 2424



**SUN BLEACHED ASH** 2421



SILVER BIRCH 2418



9413\* SASSAFRAS 2413



SPOTTED GUM 2416



SMOKED OAK 2423



**RED HEART GUM** 2419



WATTLE 2412



PAPERBARK 2411 9411\*

# **FLOORCARE**

We want your MiPlank floor to look its best for many years to come and to help with this we have laid out the following floorcare guidelines. MiPlank does not harbour dust mites or bacteria, making it ideal for the home environment.

## Initial Cleaning after installation

- · Avoid walking on the floor for at least 24 hours following completion of installation.
- Sweep or vacuum to prevent loose dirt from scratching the floor.
- Polishing your floor can be beneficial to help prevent slight surface scratches and to provide further protection.

## Day to Day Cleaning

Regularly sweep or vacuum your floor to remove loose dirt, grit or dust. It's important to use clean mops and neutral cleaning solutions when regularly cleaning your floor. Always dilute the floor cleanser to the manufacturer's instructions. Please ensure you mop your floor evenly and collect any excess liquid in a mop bucket.

### Do:

- Install barrier mats at entrances to pick up grit and moisture.
   (Please note, some rubber-backed mats may discolour the floor).
- Ensure your furniture is fitted with protective pads, where necessary, to prevent scratches.
- Use protective cups under heavy furniture to prevent indentation.
- Remove spillages as quickly as possible to reduce the risk of staining and causing slip hazards.
- · Always use clean equipment when maintaining your floor.
- Regularly trim pets claws as these can cause fine scratches.

### Don't:

- Use abrasive liquids or metal scouring pads as these can damage the floor.
- Clean the floor with solvents, caustic detergents washing up liquids, soap powders, bleach, furniture polishes, petroleum-based products, pine gels, stain removers or highly coloured products. Such products may make the floor slippery or cause permanent damage.
- Drag furniture with unprotected feet across the floor.

Regular cleaning is more beneficial to the floor covering and is more cost-effective than occasional heavy cleaning. We highly recommend using the PUREFLOR cleaning system to maintain your MiPlank floor.



#### PUREFLOR sets a new benchmark for Hard and Soft Surface Cleaning performance.

Containing only natural ingredients in a concentrated formulation, the PUREFLOR range is pH neutral, non-toxic and removes the toughest stains by destroying organic stains, soils and odours at source.

#### Why Pureflor:

- Products do not contain any soap, avoiding build-up over time
- Formulated with plant based enzymes that will not upset the natural bacterio
- Enzymes accelerate the destruction of organic materia
- pH neutral won't damage surfaces
- Powerful and Eco-Positive
- 100% biodegradable
- No chemical agents
- No phosphate



#### HARD SURFACE CLEANER

PUREFLOR is a floor cleaner for hard surfaces around the home and office.

- Contains a soap free, multi enzyme formula designed
  to destroy and break down grease, oil and food waste.
- Fliminates adours by destroying the organic matter
- pH neutral, non-corrosive and safe for all surfaces
   not harmed by water
- Designed to discharge down drains, where the
   enzyme formula will continue to attack
   the grease and food waste. Sentic safe.

iuitable for use on: vinyl flooring, tiles, wooden floors,



#### SOFT SURFACE CLEANER

PUREFLOR Soft Surface Cleaner is an all-natural, multi enzyme formula designed to attack and loosen tough stains and dirt on carpet and upholstery.


- Works to destroy all organic matter, not just lift the top layer of soil and dirt
- Rapid penetrating action which gets deep down into the fibres of the carpet to loosen the debris
- Eliminates odours in the carpet by getting to the source
- damaging fibres
- Removes a wide range of difficult organic stains, including blood, pet, urine etc

uitable for use on: carpet, rugs, upholstery, curtains.





38



# HERE TO HELP

## **Environment**

As a leading global manufacturer of high-quality, high-performance floor coverings, Polyflor has demonstrated a high level of commitment to minimising the impact our products have on the environment and endeavour to meet these requirements with a focus on sustainability and a healthy indoor climate.

MiPlank has the prescribed CE mark, as a European declaration of performance and is regularly tested to ensure the exceptional standards are continually met by external third parties including Eurofins, one of Europe's leading service providers in the field of analysis. Through these annual external inspections, Eurofins have awarded MiPlank the Indoor Air Comfort Gold rating. This certificate is awarded to products with VOC emissions below any globally determined VOC limits. MiPlank is 100% recyclable and contains on average 20% recycled material, which is integrated into new flooring production insofar as possible.

## Order Samples

Polyflor provides a complimentary product sample service. Sample your choice of flooring before making your final selection and ensure you find the exact floor covering you desire. To order samples, please visit polyflor.com.au, call our customer service department or speak with your local Polyflor representative.

## Visit us Online

Visit polyflor.com.au for detailed product and technical information on all flooring collections within the Polyflor portfolio. Our website provides an easy to follow navigation system to help you find exactly what you are looking for. Free downloads and free product and literature samples are easy to order through the website.

#### Contact Us

For general information on your specific project, either speak with your local Polyflor representative or contact us directly on 1800 777 425 or sales@polyflor.com.au

### Customer Guarantee

All products purchased from the range are guaranteed for 15 years Residential / 10 years Commercial against normal wear and tear in the recommended environment, provided they have been fitted correctly and maintained in accordance with the manufacturer's instructions. In order to make a claim, customers must apply in writing indicating where their flooring was purchased and provide satisfactory proof of purchase. This guarantee only applies in the event of the visible wearing out of the decorative pattern on the surface within the 15 years Residential / 10 years Commercial guarantee period from the time of purchase and providing the flooring has been subject to normal usage in the recommended environment. It does not cover general misuse and we suggest that adequate UV protection be taken against products being installed in direct sunlight as fading may occur. It is the manufacturer's recommendation that felt or Teflon pads are used for protection under chairs and other furniture which will help to prevent scratching and marring of your floor's finish. When moving any heavy objects please place a plywood panel over your vinyl floor. In the event of the manufacturers of MiPlank accepting that a claim is valid under this guarantee, they will either repair the flooring or supply replacement flooring free of charge. In the unlikely event of the flooring no longer being in stock, flooring of equivalent quality will be provided.





# **TECHNICAL**

The following table details the technical specification for the MiPlank and MiPlank Acoustic. Should you require any further information, contact Polyflor on 1800 777 425 or email technical@polyflor.com.au

Characteristics	Standards	MiPlank	MiPlank <b>Acoustic</b>
Gauge	ISO 24346 (EN 428)	5mm	
Wear Layer	ISO 24340 (EN 429)	0.55mm	
Plank Size	ISO 24342 (EN 427)	10 @ 177.8 x 1219.2mm = 2.17m <sup>2</sup> 8 @ 185 x 1505mm = 2.23m <sup>2</sup>	
Total Weight	ISO 23997 (EN 430)	8000g/m²	6380g/m²
General Performance	ISO 10582 (EN 649) EN 651	Conforms	- Conforms
Use Area	ISO 10874 (EN 685)	23 34 43	23 33 42
Reaction to Fire	AS ISO 9239-1 EN 13501-1	>8 kW/m² Class Bfl-S1	>4.5 kW/m² Class Cfl-S1
Abrasion Resistance	EN 660-2 ISO 10582	Group T Type I	
Slip Resistance	EN 13893 DIN 51130 AS 4586	Class DS (dry condition) R10 R10	
Impact Sound Reduction	ISO 10140-3	9dB	19dB
Thermal Conductivity	EN 12524	0.25 W/(m.K)	-
Thermal Resistance	EN 12677	-	0.0419m <sup>2</sup> K/W
Chemical Resistance	ISO 26987 (EN 423)	Resistant depending on concentration and time of exposure. In case of increased impact of oils, grease, acids, alkalis and other aggressive chemicals - please contact us.	
Residual Indentation	ISO 24343-1 (EN 433)	≤0.05mm	≤0.20mm
Dimensional Stability	ISO 23999 (EN 434)	≤0.1% max	≤0.25%
Underfloor Heating		Suitable, max 27°C	
Light Fastness	ISO 105-B02	(Method 3) ≥6	
Castor Chair (continuous use)	ISO 4918 (EN 425)	Suitable	
Static Electrical Propensity	EN 1815	≤2.0kV Classed as 'antistatic'	-
VOC Emissions	Indoor Air Comfort Gold AgBB VOC test FloorScore	Eurofins certified product  Very low emissions  Certified	
Environmentally Preferable Flooring	MiPlank acheives a Generic BRE Global Environmental A+ Rating. Specific EN15804 Environmental Product Declaration (EPD) available on request. MiPlank is 100% recyclable and contains average 20% recycled material. Recyclable via the Recofloor scheme.  Visit www.polyflor.com.au/environmentally-preferred.		
DUD MODERLO MODERLO Accessive DIVI	MiPlank Acoustic is 100% recyclable and contains average 20% recycled material. Recyclable via the Recofloor scheme. Visit www.polyflor.com.au/environmentally-preferred.		

PUR - MiPlank & MiPlank Acoustic PUR features a high quality, cross-linked polyurethane reinforcement, UV cured to provide a low cost, polish-free maintenance regime for the lifetime of the flooring.

For information regarding handling and installation, adhesives, maintenance, applications, chemical resistance and product warranty, consult your Polyflor representative or contact us directly on 1800 777 425 or email sales@polyflor.com.au The data presented is correct at the time of printing. For latest information, please visit www.polyflor.com.au Decoration and shade may vary slightly from the samples shown.

<sup>\*</sup> Resistant depending on concentration and time of exposure, in case of increased impact of oils, grease, acids, alkalis and other aggressive chemicals - please contact us.















## AUSTRALIA

Polyflor Australia Tel: 1800 777 425 Fax: 03 9215 4444 E-mail: sales@polyflor.com.au www.polyflor.com.au

#### NEW ZEALAND

Polyflor New Zealand Tel: 0800 765 935 Fax: 0800 846 737 E-mail: sales@polyflor.co.nz www.polyflor.co.nz



For details on distribution, as well as up to date product and technical information, please visit

www.polyflor.com.au