

# EXPONA®

## SIMPLAY

LOOSE LAY VINYL FLOOR TILES

# SIMPLAY

LOOSE LAY VINYL FLOOR TILES

Aesthetics and practicality are key when selecting a suitable floorcovering, and high-traffic commercial interiors require the ultimate expressions of both. The diverse assortment of natural and man-made flooring patterns available, combined with authentically reproduced surface textures and limitless design floor layouts, allows you to create an interior perfectly tailored to your audience.

Diversity does not just come from the choice of flooring design within an interior, but also the type of area in which the floor is installed and its primary function. A floorcovering can simply provide a neutral base for interior fixtures, or be incorporated within an interior design scheme to guide visitors or differentiate zones. A floorcovering that offers flexibility and can adapt to varying requirements is essential in a demanding heavy commercial environment. In these types of interiors, an interchangeable loose lay flooring solution provides the ideal blend of beauty and adaptability.

# LOOSE LAY DESIGN FLOORING

The Expona Simplay collection of loose lay vinyl tiles and planks have been developed for heavy commercial interiors, where a design-led and practical floorcovering is required. Authentic reproductions of beautiful and natural materials are presented in an adhesive-free, ready to lay product, designed to reduce installation time.

The innovative vinyl construction features a glass fibre stabilisation layer to enhance dimensional stability and also a unique honeycomb backing layer to ensure the tiles stay in position. This highly durable product is 100% recyclable and features a hygienic polyurethane reinforcement (PUR) to protect the floor and reduce ongoing maintenance costs.

As Expona Simplay can be installed over many different types of existing floorcoverings, subfloor preparation is significantly reduced. It is a practical choice for many heavy commercial

applications, including office and retail sectors.

**Office interiors,** corridors, break out rooms, storage, meeting and reception areas are ideal environments for use, enhancing design schemes and allowing easy underfloor access to cabling and pipework.

**Retail interiors,** front and back of house, zonal sales areas and presentation points are also ideal situations for use. Another benefit of Expona Simplay is that the individual floor tiles can be easily replaced, relocated and reused, allowing temporary sales areas to be successfully highlighted and refreshed.

**General commercial interiors,** temporary and permanent installations, exhibition spaces and remedial projects all perfectly meet the Expona Simplay criteria, even in busy footfall and demanding areas.




Expona tiles and planks consist of individual layers which are thermally pressed and feature a polyurethane reinforcement (PUR). Expona combines a vast range of authentic wood and stone designs alongside creative, innovative and abstract effects with the excellent easy-care characteristics of PVC flooring.



# COLLECTION OVERVIEW



p32  
Light Marble



p46  
Beige Mono



p14  
White Rustic Pine



p14  
Grey Country Oak



p12  
Natural Wild Oak



p11  
White Vintage Wood



p11  
Beige Vintage Wood



p22  
Natural Weathered Wood



p18  
Natural Ash



p16  
Light Cherry



p28  
White Ash



p40  
Cold Cracked Concrete



p40  
Warm Cracked Concrete



p19  
Natural Rustic Pine



p12  
Honey Wild Oak



p46  
Light Mono




p38  
Light Grey Concrete



p43  
Light Grey Ornamental



p13  
Brown Wild Oak



p21  
Rich Walnut

The Expona Simplay collection of 40 shades spans a plethora of wood species, natural stone and man-made materials, each featuring a complementary surface texture for an authentic appearance. Browse through the following pages, or navigate directly to the shade you want using the references above.



p15  
Blond Country Oak



p18  
Light Classic Oak



p28  
Grey Ash



p22  
Grey Weathered Wood



p26  
Light Grey Fineline



p16  
American Oak




p21  
Medium Classic Oak



p49  
Blue Textile



p37  
Warm Grey Concrete



p37  
Cold Grey Concrete



p24  
Dark Country Oak



p49  
Taupe Textile



p38  
Dark Grey Concrete



p43  
Dark Grey Ornamental



p34  
Black Slate



p25  
Brown Mystique Wood



p24  
Grey Mystique Wood



p26  
Dark Grey Fineline



p29  
Black Ash



p47  
Charcoal Mono

Please contact Polyflor for stock availability  
 Australia: 1800 777 425 or [sales@polyflor.com.au](mailto:sales@polyflor.com.au)  
 New Zealand: 0800 765 935 or [sales@polyflor.co.nz](mailto:sales@polyflor.co.nz)

# SIMPLAY

LOOSE LAY VINYL FLOOR TILES

## WOOD

Combining beautifully replicated timber plank designs and authentic wood textures, the Expona Simplay collection encompasses a wide spectrum of wood species and finishes to suit any commercial interior. Each design features bevelled edges for a timeless timber plank effect, and fine grain and knot detailing that creates movement and natural variation typical of real wooden floorcoverings.





## WOOD



**2577 White Vintage Wood**  
185 x 1505mm  
Emboss: Satin wood structure



**2578 Beige Vintage Wood**  
185 x 1505mm  
Emboss: Satin wood structure




WOOD



**2571 Natural Wild Oak**  
177.8 x 1219.2mm  
Emboss: Satin wood structure



**2572 Honey Wild Oak**  
177.8 x 1219.2mm  
Emboss: Satin wood structure





**2570 Brown Wild Oak**  
177.8 x 1219.2mm  
Emboss: Satin wood structure



**2571 Natural Wild Oak**



WOOD



**2513 White Rustic Pine**  
177.8 x 1219.2mm  
Emboss: Rustic wood structure



**2506 Grey Country Oak**  
177.8 x 1219.2mm  
Emboss: Rustic wood structure





**2507 Blond Country Oak**  
177.8 x 1219.2mm  
Emboss: Rustic wood structure





WOOD



**2503 American Oak**  
177.8 x 1219.2mm  
Emboss: Fine wood structure



**2501 Light Cherry**  
177.8 x 1219.2mm  
Emboss: Fine wood structure







WOOD




**2511 Natural Ash**  
177.8 x 1219.2mm  
Emboss: Fine wood structure



**2520 Light Classic Oak**  
185 x 1505mm  
Emboss: Fine wood structure





2511 Natural Ash




2514 Natural Rustic Pine  
177.8 x 1219.2mm  
Emboss: Rustic wood structure






# WOOD



**2521 Medium Classic Oak**  
185 x 1505mm  
Emboss: Fine wood structure



**2504 Rich Walnut**  
177.8 x 1219.2mm  
Emboss: Fine wood structure



## WOOD



**2575 Natural Weathered Wood**    
185 x 1505mm  
Emboss: Fine wood structure



**2576 Grey Weathered Wood**    
185 x 1505mm  
Emboss: Fine wood structure







WOOD




**2505 Dark Country Oak**  
177.8 x 1219.2mm  
Emboss: Rustic wood structure



**2518 Grey Mystique Wood**  
185 x 1505mm  
Emboss: Rustic wood structure





2519 Brown Mystique Wood  
185 x 1505mm  
Emboss: Rustic wood structure



WOOD



**2509 Light Grey Finition**  
177.8 x 1219.2mm  
Emboss: Fine wood structure



**2510 Dark Grey Finition**  
177.8 x 1219.2mm  
Emboss: Fine wood structure







WOOD



**2574 White Ash**  
177.8 x 1219.2mm  
Emboss: Satin wood structure



**2512 Grey Ash**  
177.8 x 1219.2mm  
Emboss: Fine wood structure





2574 White Ash & 2573 Black Ash



**2573 Black Ash**  
177.8 x 1219.2mm  
Emboss: Satin wood structure



# SIMPLAY

LOOSE LAY VINYL FLOOR TILES

## STONE


Expona Simplay Stone offers a blend of naturally beautiful marble and slate designs, together with smooth and weathered concretes that skilfully combine attractive decorations with realistic surface textures for an authentic finish. Introducing new tile sizes and bevelled edges on each design to replicate the appearance of real stone, the collections cool neutral palette makes it ideal for large scale commercial interiors.




## STONE



**2583 Light Marble**  
304.8 x 609.6mm  
Emboss: Basalt stone structure





# STONE



**2582 Black Slate**

304.8 x 609.6mm

Emboss: Basalt stone structure











STONE 



**2566 Cold Grey Concrete**  
600 x 600mm  
Emboss: Fine stone structure




**2568 Warm Grey Concrete**  
600 x 600mm  
Emboss: Fine stone structure

STONE



**2567 Light Grey Concrete**  
600 x 600mm  
Emboss: Fine stone structure





**2569 Dark Grey Concrete**  
600 x 600mm  
Emboss: Fine stone structure






STONE




**2585 Cold Cracked Concrete**    
177.8 x 1219.2mm  
Emboss: Fine structure



**2584 Warm Cracked Concrete**    
177.8 x 1219.2mm  
Emboss: Fine structure










STONE 



**2586 Light Grey Ornamental**  
600 x 600mm  
Emboss: Fine stone structure


**2587 Dark Grey Ornamental**  
600 x 600mm  
Emboss: Fine stone structure

# SIMPLAY

LOOSE LAY VINYL FLOOR TILES

## ABSTRACT

Designed to be inspiring and engaging, the Expona Simplay Abstract collection introduces eye catching floorcoverings that can both highlight areas within an interior or complement their surroundings. Large scale tiles and smooth surface textures provide a contemporary, sophisticated finish, further emphasised with the addition of bevelled edges on every design within the collection.



# ABSTRACT



**2580 Beige Mono**  
914.4 x 914.4mm  
Emboss: Basalt stone structure




**2579 Light Mono**  
914.4 x 914.4mm  
Emboss: Basalt stone structure





2580 Beige Mono & 2568 Warm Grey Concrete



**2581 Charcoal Mono**  
914.4 x 914.4mm  
Emboss: Balsalt stone structure







ABSTRACT 



**2589 Blue Textile**  
177.8 x 1219.2mm  
Emboss: Fine stone structure



**2588 Taupe Textile**  
177.8 x 1219.2mm  
Emboss: Fine stone structure



# SIMPLAY

LOOSE LAY VINYL FLOOR TILES

## THE COLLECTIONS

The following spreads summarise the extensive Expona Simplay collection, featuring accurate product scans as well as detailing all tile and plank sizes. Designs that feature pattern variations and bevelled edges are highlighted for easy identification, and the whole collection has been grouped by plank or tile size so depending on the scale of the installation a suitable tile can be quickly selected.



# WOOD COLLECTION

7" x 48"  
177.8 x 1219.2mm



7" x 48"  
177.8 x 1219.2mm



2574 White Ash



2511 Natural Ash



2513 White Rustic Pine



2570 Brown Wild Oak



2571 Natural Wild Oak



2504 Rich Walnut



2506 Grey Country Oak



2505 Dark Country Oak



2514 Natural Rustic Pine



2512 Grey Ash



2572 Honey Wild Oak



2509 Light Grey Finition



2507 Blond Country Oak



2510 Dark Grey Finition



2503 American Oak



2573 Black Ash



2501 Light Cherry



Bevelled edges



Pattern and/or colour variation

7.25" x 59.25"  
185 x 1505mm



2577 White Vintage Wood



2578 Beige Vintage Wood



2575 Natural Weathered Wood



2520 Light Classic Oak



2521 Medium Classic Oak



2519 Brown Mystique Wood



2576 Grey Weathered Wood




2518 Grey Mystique Wood

Although we endeavour to ensure the brochure print process represents the true colour of each product, we recommend you view an actual sample.

Please contact Polyflor for stock availability  
**Australia:** 1800 777 425 or  
[sales@polyflor.com.au](mailto:sales@polyflor.com.au)  
**New Zealand:** 0800 765 935 or  
[sales@polyflor.co.nz](mailto:sales@polyflor.co.nz)

Authenticity is at the heart of Expona, representing the allure, distinction and unpredictability of natural timber and stone. To replicate these materials, the products may contain knots and variation in markings as part of their design.


# STONE & ABSTRACT COLLECTION



# EMBOSSES

Expona Simplay offers exceptional quality and a range of leading wood and stone designs as a result of extensive research and innovative product development. The combination of high-clarity design film and faithful surface textures make Expona the supreme flooring choice.

The surface embossing developed for the Expona Simplay collection has been designed to precisely replicate the appearance and feel of real wood timbers and natural stone structures, which are then paired with corresponding designs for a premium finish.




Satin wood structure




Fine wood structure



Rustic wood structure



Basalt stone structure



Fine structure



Fine stone structure

# DECORATIVE DESIGN FLOORS


The flexibility of Luxury Vinyl Tiles to be laid individually allows us to discover a wide assortment of flooring patterns. By using a single shade or combining different flooring tiles together in a variety of layouts, a stunning result can be achieved with little effort, whilst the ease of Expona Simplay to be laid, lifted and moved elsewhere means a design floor can be refreshed with minimum disruption.

**Double Plank Tramline**






2586 Light Grey Ornamental & 2587 Dark Grey Ornamental




**Chequerboard**

With little or no cutting required, beautiful flooring installations such as chequerboard or herringbone in one or more shades, can create eye-catching installations. The ability to lift and move individual floor tiles also allows for fashion orientated interiors like retail spaces to adapt easily.



**Full Plank Herringbone**



# TECHNICAL DATA

Characteristics	Standards	Unit	EXPONA SIMPLAY
Type of floorcovering	EN ISO 10582		Heterogeneous, PVC
Surface treatment			PUR
Total weight	EN ISO 23997	g/m <sup>2</sup>	8000
Performance classification	EN ISO 10874		23, 34, 43
Gauge	EN ISO 24346	mm	5
Wear layer thickness	EN ISO 24340	mm	0.7
Packaging plank size	EN ISO 24342	mm	10 @ 177.8 x 1219.2 = 2.17 m <sup>2</sup> 8 @ 185 x 1505 = 2.23 m <sup>2</sup>
Packaging tile size	EN ISO 24342	mm	10 @ 177.8 x 1219.2 = 2.17 m <sup>2</sup> 10 @ 304.8 x 609.6 = 1.86 m <sup>2</sup> 6 @ 600 x 600 = 2.16 m <sup>2</sup> 4 @ 914.4 x 914.4 = 3.34 m <sup>2</sup>
Dimensional stability	EN ISO 23999	%	< 0.1
Residual indentation	EN ISO 24343-1	mm	0.05 **
Colour fastness to artificial light	EN ISO 105-B02	level	≥ 6
Behaviour to fire	BCA Spec C1.10-3		Complies
Slip resistance	AS 4586 App D		R10
Impact sound reduction	EN ISO 10140-3	dB	9
Assessment of static electrical propensity	EN 1815	kV	< 2
Chemical resistance	EN ISO 26987		*
Abrasion resistance	EN ISO 10582 EN 660-2		Type I Group T
Castor chair suitability	ISO 4918		Yes
Underfloor heating suitability	EN 1264-2		Suitable max. 27 °C
VOC emissions	Indoor Air Comfort Gold FloorScore AgBB		Eurofins certified product Certified product Very low emissions
Environmental product declaration	EN 15804		DGNB Navigator <a href="http://www.dgnb-navigator.de">www.dgnb-navigator.de</a>

\* Resistant depending on concentration and time of exposure, in case of increased impact of oils, grease, acids, alkalis and other aggressive chemicals please contact us.

\*\* Averaged test value from current production

# HERE TO HELP

## ENVIRONMENT

As a leading global manufacturer of high quality, high performance floorcoverings, Polyflor have demonstrated a high level of commitment to minimising the impact our products have on the environment, and endeavour to meet these requirements with a focus on sustainability and a healthy indoor climate.

All Expona flooring has the prescribed CE mark, as a European declaration of performance and is regularly tested by external third parties including Eurofins, to ensure the exceptional standards are continually met.

Through these annual external inspections, Eurofins, one of Europe's leading service providers in the field of analysis, have awarded Expona Simplay the Indoor Air Comfort Gold rating. This certificate is awarded to products with VOC emissions below any globally determined VOC limits. Expona Simplay is certified with FloorScore, BRE, and LEED and Green Tag credits.

All Expona flooring is also 100% recyclable and contains average 40% recycled material.

## SUSTAINABILITY

As a member of ERFMI, the European Resilient Flooring Manufacturer's Institute, Polyflor, a company of James Halstead PLC, supports the ideal of sustainable construction and has made available a specific Environmental Product Declaration (EPD) for Expona Simplay. Expona floorcoverings have been assessed under the EN 15804 programme of the Institute for Construction and Environment (IBU) for the environmental assessment of buildings.

## VISIT US ONLINE

Visit [polyflor.com.au](http://polyflor.com.au) or [polyflor.co.nz](http://polyflor.co.nz) for detailed product and technical information on all flooring collections within the Polyflor portfolio. Our website provides an easy to follow navigation system to help you find exactly what you are looking for, free downloads, and free product and literature samples which can be easily ordered through the website.

## ORDER SAMPLES

Polyflor provide a complementary product sample service so you can sample your choice of flooring before you make your final selection, and ensure you find the exact floorcovering you are looking for. To order samples please visit the Polyflor website, call our Customer Service department or speak with your local Polyflor representative.

## CONTACT US

For general information on your specific project, either speak with your local Polyflor representative or contact us directly.

### Australia

1800 777 425 or [sales@polyflor.com.au](mailto:sales@polyflor.com.au)

### New Zealand

0800 765 935 or [sales@polyflor.co.nz](mailto:sales@polyflor.co.nz)



ENVIRONMENTALLY  
PREFERABLE  
FLOORING  
100 % RECYCLABLE



# PRODUCT INDEX

Product Reference	Page Number
American Oak	p16
Beige Mono	p46
Beige Vintage Wood	p11
Black Ash	p29
Black Slate	p34
Blond Country Oak	p15
Blue Textile	p49
Brown Mystique Wood	p25
Brown Wild Oak	p13
Charcoal Mono	p47
Cold Cracked Concrete	p40
Cold Grey Concrete	p37
Dark Country Oak	p24
Dark Grey Concrete	p38
Dark Grey Fineline	p26
Dark Grey Ornamental	p43
Grey Ash	p28
Grey Country Oak	p14
Grey Mystique Wood	p24
Grey Weathered Wood	p22
Honey Wild Oak	p12
Light Cherry	p16
Light Classic Oak	p18
Light Grey Concrete	p38
Light Grey Fineline	p26
Light Grey Ornamental	p43
Light Marble	p32
Light Mono	p46
Medium Classic Oak	p21
Natural Ash	p18
Natural Rustic Pine	p19
Natural Weathered Wood	p22
Natural Wild Oak	p12
Rich Walnut	p21
Taupe Textile	p49
Warm Cracked Concrete	p40
Warm Grey Concrete	p37
White Ash	p28
White Rustic Pine	p14
White Vintage Wood	p11

## **POLYFLOR™ INTERNATIONAL**

### **Australia**

Polyflor Australia  
Tel: 1800 777 425  
www.polyflor.com.au  
E-mail: sales@polyflor.com.au

### **Canada**

Polyflor Canada Inc.  
Tel: +1 905 364 3000  
E-mail: sales@polyflor.ca

### **China**

Polyflor Hong Kong  
Tel: +(852) 2865 0101  
E-mail: info@polyflor.com.hk

### **France**

James Halstead France SAS  
Tel: +33 (0) 8 20 20 32 11  
E-mail: info@jhfrance.fr

### **Germany**

objectflor Art und Design Belags GmbH  
Tel: +49 (0) 2236 966 330  
E-mail: info@objectflor.de

### **India**

Polyflor India Pvt Ltd  
Tel: +91 22 4023 2485  
E-mail: info@polyflor.co.in

### **Ireland**

Polyflor Ireland  
Tel: +353 (1) 864 9304  
E-mail: salesireland@polyflor.com

### **New Zealand**

Polyflor New Zealand Ltd  
Tel: 0800 765 935  
www.polyflor.co.nz  
E-mail: sales@polyflor.co.nz

### **Norway**

Polyflor Nordic  
Tel: +47 23 00 84 00  
E-mail: firmapost@polyflor.no

### **Poland**

Polflor Sp. Z o.o.  
Tel: +48 (0) 61 820 3155  
E-mail: polyflor@polflor.com.pl

### **Russia**

Polyflor Contract Ltd  
Tel: +7 (812) 332 42 02  
E-mail: info@polyflor.ru

### **South Africa**

Poly Sales Africa (Pty.) Ltd  
Tel: +27 (0) 11 609 3500  
E-mail: info@polyflor.co.za

### **Sweden**

FalckDesign AB  
Tel: +46 (0) 300 15820  
E-mail: info@falckdesign.com

## **POLYFLOR™ UK**

Polyflor Ltd, PO Box 3, Radcliffe New Road  
Whitefield, Manchester, M45 7NR

UK Sales Direct: +44 (0) 161 767 1122  
Export Sales Direct: +44 (0) 161 767 1913  
UK Fax: +44 (0) 161 767 1128  
Export Fax: +44 (0) 161 767 1166  
Technical Support: +44 (0) 161 767 1912  
Reception: +44 (0) 161 767 1111  
E-mail: info@polyflor.com



For details on distribution,  
as well as up to date product and  
technical information, please visit

[www.polyflor.com.au](http://www.polyflor.com.au)

[www.polyflor.co.nz](http://www.polyflor.co.nz)